# Author Index


Altura, B.M. and Gupta, R.K.
Cocaine induces intracellular free Mg deficits, ischemia and stroke as observed by in-vivo $^{31}$P-NMR of the brain (1111) 271
Artursson, P., see Karlsson, J. (1111) 204
Asher, C., see Weber, W.-M. (1111) 159
Azaïs-Braesco, V., see Grolier, P. (1111) 135

Bates, T.E., see Murphy, E.J. (1111) 51
Bezuglov, V.V., see Gukovskaya, A.S. (1111) 65
Bianchi, G., see Ferrari, P. (1111) 111
Boesze-Battaglia, K., Fliesler, S.J., Li, J., Young, J.E. and Yeagle, P.L.
Retinal and retinol promote membrane fusion (1111) 256
Bojesen, E., see Bojesen, I.N. (1111) 185
Bojesen, I.N. and Bojesen, E.
Exchange efflux of [$^3$H]palmitate from human red cell ghosts to bovine serum albumin in buffer. Effects of medium volume and concentration of bovine serum albumin (1111) 185
Bordi, F., see Cametti, C. (1111) 197
Bottega, R., see Farhood, H. (1111) 239
Boyd, C.A.R., see Eleno, N. (1111) 139
Brindle, K.M., see Murphy, E.J. (1111) 51
Brown, F.M., see Hellwig, B. (1111) 178

Cametti, C., De Luca, F., D'Ilario, A., Macrì, M.A., Maraviglia, B., Bordi, F., Lenti, L., Misasi, R. and Sorice, M.
Alteration of the passive electrical properties of lymphocyte membranes induced by GM1 and GM3 glycolipids (1111) 197
Carver, J., see Novak, D. (1111) 59
Catena, R., see Michalak, M. (1111) 247
Cevc, G., see Nagel, N.E. (1111) 263
Chakrabarti, A.C. and Deamer, D.W.
Permeability of lipid bilayers to amino acids and phosphate (1111) 171
Clauss, W., see Weber, W.-M. (1111) 159
Cohen, D.M., see Rauchman, M.I. (1111) 231
Cullis, P., see Kitson, N. (1111) 127

Daum, G., see Gnamusch, E. (1111) 120
Deamer, D.W., see Chakrabarti, A.C. (1111) 171
De Luca, F., see Cametti, C. (1111) 197
Deuticke, B., see Schwichtenhövel, C. (1111) 35
D'Ilario, A., see Cametti, C. (1111) 197

Eleno, N., Boyd, C.A.R. and Marin, J.J.G.
Substrate-specific differences in the rate of bile acid carrier reorientation: studies on human placental basal vesicles (1111) 139
Epand, R.M., see Farhood, H. (1111) 239

Fan, P.Y., Haas, M. and Middleton, J.P.
Identification of a regulated Na/K/Cl cotransport system in a distal nephron cell line (1111) 75
Farhood, H., Bottega, R., Epand, R.M. and Huang, L.
Effect of cationic cholesterol derivatives on gene transfer and protein kinase C activity (1111) 239
Fasold, H., see Kramer, W. (1111) 93
Ferrari, P., Torielli, L., Salardi, S., Rizzo, A. and Bianchi, G.
$Na^+/K^+/Cl^-$ cotransport in resealed ghosts from erythrocytes of the Milan hypertensive rats (1111) 111
Fessi, H., see Grolier, P. (1111) 135
Fliesler, S.J., see Boesze-Battaglia, K. (1111) 256

Garty, H., see Weber, W.-M. (1111) 159
Girbig, F., see Kramer, W. (1111) 93
Gnamusch, E., Kalaus, C., Hrastnik, C., Paltauf, F. and Daum, G.
Transport of phospholipids between subcellular membranes of wild-type yeast cells and of the phosphatidylinositol transfer protein-deficient strain *Saccharomyces cerevisiae sec 14* (1111) 120
Gold, J.C. and Phillips, M.C.
Effects of membrane lipids and -proteins and cytoskeletal proteins on the kinetics of cholesterol exchange between high density lipoprotein and human red blood cells, ghosts and microvesicles (1111) 103
Grolier, P., Azaïs-Braesco, V., Zelmire, L. and Fessi, H.
Incorporation of carotenoids in aqueous systems: uptake by cultured rat hepatocytes (1111) 135
Grossman, S., see Novak, D. (1111) 59
Gukovskaya, A.S., Trepakova, E.S., Zinchenko, V.P., Korystov, Y.N. and Bezuglov, V.V.
Effect of the sulfhydryl reagent thimerosal on cytosolic free $Ca^{2+}$ and membrane potential of thymocytes (1111) 65
Gullans, S.R., see Rauchman, M.I. (1111) 231
Gupta, R.K., see Altura, B.M. (1111) 271
Gutjahr, U., see Kramer, W. (1111) 93

Haas, M., see Fan, P.Y. (1111) 75
Haest, C.W.M., see Schwichtenhövel, C. (1111) 35
Hara, N., see Ichinose, M. (1111) 165
Hebert, S.C., see Rauchman, M.I. (1111) 231
Hellwig, B., Brown, F.M., Schürmann, A., Shanahan, M.F. and Joost, H.G.
Localization of the binding domain of the inhibitory ligand forskolin in the glucose transporter GLUT-4 by photolabeling, proteolytic cleavage and a site-specific antiserum (1111) 178
Hosokawa, K., see Ikehara, T. (1111) 151
Hrastnik, C., see Gnamusch, E. (1111) 120
Huang, L., see Farhood, H. (1111) 239

Ichinose, M., Hara, N., Sawada, M. and Maeno, T.
Induction of two $K^+$ currents by complement component C5a in mouse macrophages (1111) 165
Ikehara, T., Yamaguchi, H., Hosokawa, K., Takahashi, A., Masuya, T. and Miyamoto, H.
Different patterns of cell volume regulation in hyposmotic media between attached and suspended HeLa cells (1111) 151
Iseki, K., see Sugawara, M. (1111) 145

Jakob, A., see Piec, G. (1111) 27
Joost, H.G., see Hellwig, B. (1111) 178

Kalaus, C., see Gnamusch, E. (1111) 120
Kamo, N., see Saito, S. (1111) 221

Karlsson, J. and Artursson, P.
A new diffusion chamber system for the determination of drug permeability coefficients across the human intestinal epithelium that are independent of the unstirred water layer (1111) 204
Kirchner, S., see Nagel, N.E. (1111) 263
Kitson, N., Monck, M., Wong, K., Thewalt, J. and Cullis, P.
The influence of cholesterol 3-sulphate on phase behaviour and hydrocarbon order in model membrane systems (1111) 127
Kleutsch, B., see Nieto-Frausto, J. (1111) 81
Korystov, Y.N., see Gukovskaya, A.S. (1111) 65
Kowalewski, S., see Kramer, W. (1111) 93
Kramer, W., Nicol, S.-B., Girbig, F., Gutjahr, U., Kowalewski, S. and Fasold, H.
Characterization and chemical modification of the $Na^+$-dependent bile-acid transport system in brush-border membrane vesicles from rabbit ileum (1111) 93
Krasilnikov, O.V., Muratkhodjaev, J.N. and Zitzer, A.O.
The mode of action of *Vibrio cholerae* cytolysin. The influences on both erythrocytes and planar lipid bilayers (1111) 7

Lee, K.-D., Pitas, R.E. and Papahadjopoulos, D.
Evidence that the scavenger receptor is not involved in the uptake of negatively charged liposomes by cells (1111) 1
Lenti, L., see Cametti, C. (1111) 197
Li, J., see Boesze-Battaglia, K. (1111) 256
Liu, H.-J., see Michalak, M. (1111) 247

Macdonald, P.M., see Rydall, J.R. (1111) 211
Macrì, M.A., see Cametti, C. (1111) 197
Maeno, T., see Ichinose, M. (1111) 165
Maraviglia, B., see Cametti, C. (1111) 197
Marin, J.J.G., see Eleno, N. (1111) 139
Masuya, T., see Ikehara, T. (1111) 151
Michalak, M., Wandler, E.L., Strynadka, K., Catena, R., Liu, H.-J. and Olley, P.M.
Solubilization and purification of the prostaglandin $E_2$ receptor from cardiac sarcolemma (1111) 247
Middleton, J.P., see Fan, P.Y. (1111) 75
Milford, E., see Rauchman, M.I. (1111) 231
Misasi, R., see Cametti, C. (1111) 197
Miyamoto, H., see Ikehara, T. (1111) 151
Miyauchi, S., see Saito, S. (1111) 221
Miyazaki, K., see Sugawara, M. (1111) 145
Monck, M., see Kitson, N. (1111) 127
Murakami, Y., see Saito, S. (1111) 221
Muratkhodjaev, J.N., see Krasilnikov, O.V. (1111) 7
Murphy, E.J., Bates, T.E., Williams, S.R., Watson, T., Brindle, K.M., Rajagopalan, B. and Radda, G.K.
Endoplasmic reticulum: the major contributor to the PDE peak in hepatic $^{31}$P-NMR spectra at low magnetic field strengths (1111) 51

Nagel, N.E., Cevc, G. and Kirchner, S.
The mechanism of the solute-induced chain interdigitation in phosphatidylcholine vesicles and characterization of the isothermal phase transitions by means of dynamic light scattering (1111) 263
Nicol, S.-B., see Kramer, W. (1111) 93
Nieto-Frausto, J. and Kleutsch, B.
A channel model with fluctuating barrier structures (1111) 81
Norris, F.A. and Powell, G.L.
Characterization of $CO_2$/carbonic acid mediated proton flux through phosphatidylcholine vesicles as model membranes (1111) 17
Novak, D., Ray, W., Carver, J. and Grossman, S.
Developmental changes in hepatic basolateral membrane lipid composition and fluidity (1111) 59

Olley, P.M., see Michalak, M. (1111) 247

Paltauf, F., see Gnamusch, E. (1111) 120
Papahadjopoulos, D., see Lee, K.-D. (1111) 1
Perkins, D.L., see Rauchman, M.I. (1111) 231
Phillips, M.C., see Gold, J.C. (1111) 103
Piec, G. and Jakob, A.
Vasopressin stimulation of vanadate-sensitive $Na^+$ transport by liver plasma membrane vesicles. Evidence for regulation via phospholipase C and protein kinase C activities (1111) 27
Pitas, R.E., see Lee, K.-D. (1111) 1
Powell, G.L., see Norris, F.A. (1111) 17

Radda, G.K., see Murphy, E.J. (1111) 51
Rajagopalan, B., see Murphy, E.J. (1111) 51
Rauchman, M.I., Wasserman, J.C., Cohen, D.M., Perkins, D.L., Hebert, S.C., Milford, E. and Gullans, S.R.
Expression of GLUT-2 cDNA in human B lymphocytes: analysis of glucose transport using flow cytometry (1111) 231
Ray, W., see Novak, D. (1111) 59
Rizzo, A., see Ferrari, P. (1111) 111
Rols, M.-P. and Teissié, J.
Experimental evidence for the involvement of the cytoskeleton in mammalian cell electropermeabilization (1111) 45
Rydall, J.R. and Macdonald, P.M.
Influence of staphylococcal $\delta$-toxin on the phosphatidylcholine headgroup as observed using $^2$H-NMR (1111) 211

Saito, S., Murakami, Y., Miyauchi, S. and Kamo, N.
Measurement of plasma membrane potential in isolated rat hepatocytes using the lipophilic cation, tetraphenylphosphonium: correction of probe intracellular binding and mitochondrial accumulation (1111) 221
Salardi, S., see Ferrari, P. (1111) 111
Sasaki, M., see Sugawara, M. (1111) 145
Sawada, M., see Ichinose, M. (1111) 165
Schürmann, A., see Hellwig, B. (1111) 178
Schwichtenhövel, C., Deuticke, B. and Haest, C.W.M.
Alcohols produce reversible and irreversible acceleration of phospholipid flip-flop in the human erythrocyte membrane (1111) 35
Shanahan, M.F., see Hellwig, B. (1111) 178
Sorice, M., see Cametti, C. (1111) 197
Strynadka, K., see Michalak, M. (1111) 247
Sugawara, M., Sasaki, M., Iseki, K. and Miyazaki, K.
Membrane-potential-dependent uptake of tryptamine by rat intestinal brush-border membrane vesicles (1111) 145

Takahashi, A., see Ikehara, T. (1111) 151
Teissié, J., see Rols, M.-P. (1111) 45
Thewalt, J., see Kitson, N. (1111) 127
Torielli, L., see Ferrari, P. (1111) 111
Trepakova, E.S., see Gukovskaya, A.S. (1111) 65

Wandler, E.L., see Michalak, M. (1111) 247
Wasserman, J.C., see Rauchman, M.I. (1111) 231
Watson, T., see Murphy, E.J. (1111) 51
Weber, W.-M., Asher, C., Garty, H. and Clauss, W.
Expression of amiloride-sensitive $Na^+$ channels of hen lower intestine in *Xenopus* oocytes: electrophysiological studies on the dependence of varying NaCl intake (1111) 159
Williams, S.R., see Murphy, E.J. (1111) 51
Wong, K., see Kitson, N. (1111) 127

Yamaguchi, H., see Ikehara, T. (1111) 151
Yeagle, P.L., see Boesze-Battaglia, K. (1111) 256
Young, J.E., see Boesze-Battaglia, K. (1111) 256

Zelmire, L., see Grolier, P. (1111) 135
Zinchenko, V.P., see Gukovskaya, A.S. (1111) 65
Zitzer, A.O., see Krasilnikov, O.V. (1111) 7